

Supplement for Gun Flush Box GM 5000EAC Flat Jet Nozzle (Order No. 2327965)

1 GENERAL SAFETY INSTRUCTIONS

	 WARNING Incorrect maintenance/repair! Risk of injury and damage to the device. → Have repairs and part replacements carried out only by specially trained staff or a WAGNER service center. → Before all work on the device and in the event of work interruptions: - Switch off the energy/compressed air supply. - Relieve the pressure from the spray gun and device. - Secure the spray gun against actuation. → Observe the operating manual and service manuals at all times when carrying out work.
---	---

This supplement contains additional information regarding the gun flush box (spare parts list, basic settings).

→ Further information such as operation, repair and maintenance of the gun flush box and relevant safety information can be found in the operating manual.


This equipment can be dangerous if it is not operated in accordance with the operating manual.

Compliance with these instructions constitutes an integral component of the warranty agreement.

The **operating manual** is available in the following languages:

Language	Order No.	Language	Order No.
German	377970	English	377971
French	377972	Dutch	377973
Italian	377974	Spanish	377975
Danish	377977	Swedish	377976
Portuguese	377978	Polish	377979

2 SPARE PARTS LIST



Pos	K	Stk	Order No.	Designation
			2327965	Gun flush box, complete (GM 5000EAC Flat Jet)
1		1	-	Gun flush box, complete (empty)
2	◆	1	2334395	Guide sleeve
3	◆	1	2334396	O-ring
4		1	377179	Universal fixing, complete
5		4	377624	Sliding block
6		2	2327258	Distance bush
7		4	9907205	Hexagon screw M6x20
8		9	9925048	Spring washer, B6
9		6	9920109	Washer A6.4
10	◆	1	2327259	Stop
11		4	9925045	Washer, A8.4
12		2	2326951	Hexagon screw M8x35
13	◆	1	2334400	Sealing cap
14		1	2334399	Adapter
15	◆	1	377646	Holder
16		2	9907197	Hexagon screws, M8x120
17		1	369320	Cotter pin
18		1	9998083	Hose clamp
19	◆	1	9987098	Hose, 0.5 m; 1.64 ft
20		3	9907125	Screw SFS Plastite 45
21		3	9925054	Washer, A6
22	◆	1	377626	Funnel
23		2	377623	Distance bush
24		1	377826	WAGNER label
25		1	377635	Plate
26		2	9907198	Hexagon screw M6x16


◆ = Wearing parts

Further spare parts for the fixing and the complete gun flush box (empty) are listed in the gun flush box's operating manual.


3 BASIC SETTINGS

The three components holder (1), stop (2) and fixing (3) differ depending on spray gun type (see spare parts lists) and must be dimensionally coordinated depending on the spray gun used, to ensure perfect functioning of the gun flush box. The table specifications are theoretical basic dimensions. In the event of major tolerance deviations in the spray guns, the fixing must be readjusted. Dimensions not specified are not necessary.

Gun type	A mm/ inch	B mm/ inch	C mm/ inch	D mm/ inch	E mm/ inch	F mm/ inch
GM 5000EA / GM 5000EAC with flat jet nozzle	387/ 15.23	153/ 6.02	100/ 3.04	11/ 0.433	65/ 2.56	



SUPPLEMENT _____



A series of horizontal lines for writing, starting from the top of the page and extending down to the bottom, providing space for handwritten notes.

WAGNER



Order No. 2342308

Germany

J. WAGNER GmbH
Otto-Lilienthal-Str. 18
Postfach 1120
D- 88677 **Markdorf**
Phone +49/ (0)7544 / 5050
Fax: +49/ (0)7544 / 505200
E-mail: service.standard@wagner-group.com

Switzerland

J. WAGNER AG
Industriestrasse 22
Postfach 663
CH- 9450 **Altstätten**
Phone +41/ (0)71 / 757 2211
Fax: +41/ (0)71 / 757 2222
E-mail: rep-ch@wagner-group.ch

www.wagner-group.com

More contact addresses on the Internet at:

www.wagner-group.com

Company/Locations/WAGNER worldwide

Subject to changes without notice