

MIRKA



LEROS and
LEROS-S
available with
dual voltage!



reddot award 2018
best of the best
Mirka® LEROS 950CV

Mirka® LEROS

Perfection from any angle.





**The new LEROS-S
has two grip points**

Ergonomic and secure grip
for full control over
sanding process

Reach closer.

Mirka® LEROS and LEROS-S

Always the right length for the job

Years of development work and a determined focus on ergonomics and user-friendliness resulted in the lightest brushless electric wall and ceiling sander on the market, Mirka® LEROS. This unique tool has features like no other comparable sander on the market.

The new Mirka® LEROS-S 950CV is a compact length wall sander with a highly flexible sanding head, making it the perfect tool for sanding walls in confined spaces. Thanks to its lightness, balance and easy manouverability, the LEROS-S makes it possible to sand large areas faster and easier. The large sanding pad with its 5mm orbit works especially well in leveling filler on large areas and surfaces, in situations where a longer wall sander is more difficult to handle.



Technical specifications	Mirka® LEROS 950CV	Mirka® LEROS 950CV Dual Voltage	Mirka® LEROS-S 950CV Dual Voltage
Mirka Code	MIW95020BAUK	MIW95070BAUK	MIW9507122UK
Power Input	350w	250w	250w
Voltage	220-240 VAC	100-240 VAC	100-240 VAC
Speed	4,000–8,000 rpm	4,000–8,000 rpm	4,000–8,000 rpm
Orbit	5.0 mm	5.0 mm	5.0 mm
Noise level LpA	84 dB	71 dB	73 dB
Vibration level	2.5 m/s ²	2.5 m/s ²	2.5 m/s ²
Length	144 cm	144cm	88 cm
Weight	3.5 kg	3.5kg	3.2 kg
Size of pad	225 mm	225mm	225 mm



Perfection from any angle.

Max. flexibility



Mirka® LEROS has 180° and LEROS-S ~140° flexibility

Lightweight

The lightest wall and ceiling sander on the market. Thanks to the lightweight, the operator can sand for longer periods and less strain is put on the operator's body.

Flexible sanding head

A flexible sanding head enables the tool to easily follow the operator's movements and permits the operator to use ergonomic working position. The flexible head helps the operator to reach the surface from different angles.

5 mm random orbital movement

The random orbital movement enables an easy handling of the tool and a better finish. Hence, there are fewer interruptions due to fatigue and less re-work is needed. Much easier to operate compared to rotary sanders.

Full force system

Due to the lack of springs and brushes there is no need to press the tool against the wall when sanding. Instead the complete force is transferred to the sanding process.

Brushless motor technology

The brushless motor reduces the weight of the tool significantly. In addition, less maintenance is needed since there are no carbon brushes that need to be changed. No loss in efficiency under heavy pressure.

Dust-free

To enable efficient dust-free sanding the shroud has two suction points and a pad that is optimised for Abranet sanding discs. The operator saves time and money and the working environment is cleaner and healthier.





Combine Mirka® LEROS or LEROS-S with Mirka's dust-free net abrasives and suitable dust extraction system to create a cleaner and healthier working environment.

The full length Mirka® LEROS is designed for sanding of walls and ceilings with maximum flexibility.

Mirka® LEROS comes in a cardboard box with a transportation and storage bag.

Mirka® LEROS Dual Voltage:
MIW95070BAUK
Mirka® LEROS 230v:
MIW95020BAUK

The compact LEROS-S is designed for construction and decoration work in confined spaces such as bathroom walls, narrow corridors, walk-in closets and more, with two dedicated grip points for full control.

Mirka® LEROS-S Dual Voltage 950CV:
MIW9507122UK
Comes in a cardboard box.



Mirka (UK) Ltd

For contact information,
please visit [mirka.co.uk](https://www.mirka.co.uk)

Follow us on:

